KODEN

Koden Electronics Co., Ltd.

TABELA DE PREÇOS


2026

V.01.26




SEATEC

Equipamentos de Comunicação e Navegação




RADAR	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		MDC-900 SERIES	
	MDC-904A	**4 kW, 32 nm, 24 rpm, 8.4" TFT color LCD (MRD-103A)** **1.2**-ft Radome antenna-scanner unit **(RB804)** with 10m cable, 10.8-31.2 VDC	3 758 €
	MDC-941A	**4 kW, 32mn, 24/48rpm, 8.4" TFT color LCD (MRD-103A)** **2-ft** Radome antenna-scanner unit **(RB805)** With 15m cable, 10.8-31.2 VDC	3 830 €
	MDC-940A	**4kW, 48mn, 24/48rpm, 8.4" TFT color LCD (MRD-103A)** **3-ft** Open antenna-scanner unit **(RW701A-03 + RB806)** With 15m cable, 10.8-31.2 VDC	5 340 €
		4-ft Open antenna-scanner unit **(RW701A-04 + RB806)**	5 467 €
		MDC-2000 SERIES	
	MDC-2041A	**4kW, 32mn, 24/48rpm, 10.4" TFT color LCD (MRD-104A)** **2-ft** Radome antenna-scanner unit **(RB805)** With 15m cable, 10.2-41.6 VDC	4 100 €
	MDC-2040A	**4kW, 48mn, 24/48rpm, 10.4" TFT color LCD (MRD-104A)** **3-ft** Open antenna-scanner unit **(RW701A-03 + RB806)** With 15m cable, 10.2-41.6 VDC	5 610 €
		4-ft Open antenna-scanner unit **(RW701A-04 + RB806)**	5 736 €
	MDC-2006A	**6kW, 64mn, 24/48rpm, 10.4" TFT color LCD (MRD-104A)** **3-ft** Open antenna-scanner unit **(RW701A-03 + RB807)** With ATA, AIS Interface,With 15m cable, 10.2-41.6 VDC	7 049 €
		4-ft Open antenna-scanner unit **(RW701A-04 + RB807)**	7 175 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB807)**	7 373 €
	MDC-2012A	**12kW, 72mn, 24/48rpm, 10.4" TFT color LCD (MRD-104A)** **4-ft** Open antenna-scanner unit **(RW701A-04 + RB808)** With 15m cable, 10.2-41.6 VDC	8 074 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB808)**	8 272 €
		MDC-2000 SERIES BB (BLACK BOX)	
	MDC-2003BB	**4 kW, 32mn, 24/48 rpm**, processor unit **(MRM-112)** and operation unit **(MRO-112)** connectable to display types with VGA (owner supplied) **1.2-ft** Radome antenna-scanner unit **(RB804)** with 10m cable, 10.8-31.2 VDC	4 028 €
	MDC-2005BB	**4 kW, 32mn, 24/48 rpm**, processor unit **(MRM-112)** and operation unit **(MRO-112)** connectable to display types with VGA (owner supplied) **2-ft** Radome antenna-scanner unit **(RB805)** with 10m cable, 10.8-31.2 VDC	4 100 €
	MDC-2004BB	**4 kW, 48mn, 24/48 rpm**, processor unit **(MRM-112)** and operation unit **(MRO-112)** connectable to display types with VGA (owner supplied) **3-ft** Open antenna-scanner unit **(RW701A-03+RB806)** with 15m cable, 10.8-31.2 VDC	5 610 €
		4-ft Open antenna-scanner unit **(RW701A-04 + RB806)**	5 736 €
	MDC-2006BB	**6 kW, 64mn, 24/48 rpm**, processor unit **(MRM-112)** and operation unit **(MRO-112)** connectable to display types with VGA (owner supplied) **3-ft** Open antenna-scanner unit **(RW701A-03+RB807)** With ATA, AIS Interface With 15m cable, 10.8-31.2 VDC	7 049 €
		4-ft Open antenna-scanner unit **(RW701A-04 + RB807)**	7 175 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB807)**	7 373 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt




RADAR	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		MDC-2000 SERIES BB (BLACK BOX)	
	MDC-2012BB	**12 kW, 72mn, 24/48 rpm**, processor unit **(MRM-112)** and operation unit **(MRO-112)** connectable to display types with VGA (owner supplied) **4-ft** Open antenna-scanner unit **(RW701A-04+RB808)** With ATA, AIS Interface With 15m cable, 10.8-31.2 VDC	8 074 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB808)**	8 272 €
		MDC-5200 SERIES	
	MDC-5204	**4kW, 48mn, 24/48rpm, 12"high-resolution color LCD(MRD-111)** **3-ft** Open antenna-scanner unit **(RW701A-03 + RB806)** With 15m cable, in ATA with 100 targets and AIS with 1000 targ 10.8-41.6 VDC	7 768 €
		4-ft Open antenna-scanner unit **(RW701A-04 + RB806)**	7 894 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB806)**	8 092 €
	MDC-5206	**6kW, 72mn, 24/48rpm, 12"high-resolution color LCD(MRD-111)** **4-ft** Open antenna-scanner unit **(RW701A-04 + RB807)** With 15m cable, in ATA with 100 targets and AIS with 1000 targ 10.8-41.6 VDC	9 333 €
		6-ft Open scanner-scanner unit **(RW701A-06 + RB807)**	9 531 €
	MDC-5212	**12kW, 72mn, 24/48rpm,12"high-resolution colorLCD(MRD-111)** **4-ft** Open antenna-scanner unit **(RW701A-04 + RB808)** With 15m cable, in ATA with 100 targets and AIS with 1000 targ 10.8-41.6 VDC	10 232 €
		6-ft Open scanner-transceiver unit **(RW701A-06 + RB808)**	10 430 €
	MDC-5225	**25kW, 96mn, 24/48rpm,12"high-resolution colorLCD(MRD-111)** **4-ft** Open antenna-scanner unit **(RW701A-04 + RB808)** With 15m cable, in ATA with 100 targets and AIS with 1000 targ 10.8-41.6 VDC	11 131 €
		6-ft Open scanner-transceiver unit **(RW701A-06 + RB809)**	11 329 €
		MDC-5500 SERIES	
	MDC-5504	**4kW, 48mn, 24/48rpm, 15"high-resolution color LCD(MRD-109)** **3-ft** Open antenna-scanner unit **(RW701A-04 + RB806)** And operation unit **(MRO-108)**. With 15m cable, in ATA with 100 targets and AIS with 1000 targ. 10.8-41.6 VDC	9 063 €
		4-ft Open scanner-transceiver unit **(RW701A-04 + RB806)**	9 189 €
		6-ft Open scanner-transceiver unit **(RW701A-06 + RB806)**	9 387 €
	MDC-5506	**6kW, 64mn, 24/48rpm, 15"high-resolution color LCD(MRD-109)** **4-ft** Open antenna-scanner unit **(RW701A-04 + RB807)** And operation unit **(MRO-108)**. With 15m cable, in ATA with 100 targets and AIS with 1000 targ. 10.8-41.6 VDC	10 627 €
		6-ft Open scanner-transceiver unit **(RW701A-06 + RB807)**	10 825 €
	MDC-5512	**12kW, 64mn,24/48rpm,15"high-resolution color LCD(MRD-109)** **4-ft** Open antenna-scanner unit **(RW701A-04 + RB808)** And operation unit **(MRO-108)**. With 15m cable, in ATA with 100 targets and AIS with 1000 targ. 10.8-41.6 VDC	11 527 €
		6-ft Open scanner-transceiver unit **(RW701B-06 + RB808)**	11 724 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt




RADAR	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		MDC-5500 SERIES	
	MDC-5525	**25kW, 96mn, 24/48rpm,15"high-resolution colorLCD(MRD-109)** **4-ft** Open antenna-scanner unit **(RW701A-06 + RB809)** And operation unit **(MRO-108)**. With 15m cable, in ATA with 100 targets and AIS with 1000 targ. 10.8-41.6 VDC	12 426 €
		6-ft Open scanner-transceiver unit **(RW701B-09 + RB809)**	12 623 €
		MDC-5000 BB SERIES	
	MDC-5041BB	**4kW, 48mn, 24/48rpm, BB** **2-ft** Radome antenna-scanner unit **(RB805)** And processor unit **(MRM-110)** and operation unit **(MRO-110)** connectable to display types with XGA or UXGA grade (owner supplied). With 15m cable. 21.6-41.6 VDC	5 395 €
	MDC-5004BB	**4kW, 48mn, 24/48rpm, BB** **3-ft** Open antenna-scanner unit **(RW701A-03 + RB806)** And processor unit **(MRM-110)** and operation unit **(MRO-110)** Connectable to display with XGA or UXGA (owner supplied). With 15m cable. Built-in TT(ARPA) tracking with 50 targets, and AIS interface with 500 targets without connecting cable (as standard), gyro-log interface unit optional. 21.6-41.6 VDC	6 905 €
		4-ft Open scanner-transceiver unit **(RW701A-04 + RB806)**	7 031 €
		6-ft Open scanner-transceiver unit **(RW701A-06 + RB806)**	7 229 €
 	MDC-5006BB	**6kW, 64mn, 24/48rpm, BB** **4-ft** Open antenna-scanner unit **(RW701A-04 + RB807)** And processor unit **(MRM-110)** and operation unit **(MRO-110)** Connectable to display with XGA or UXGA (owner supplied). With 15m cable. Built-in TT(ARPA) tracking with 50 targets, and AIS interface with 500 targets without connecting cable (as standard), gyro-log interface unit optional. 21.6-41.6 VDC	8 470 €
		6-ft Open scanner-transceiver unit **(RW701A-06 + RB807)**	8 667 €
	MDC-5012BB	**12kW, 64mn, 24/48rpm, BB** **4-ft** Open antenna-scanner unit **(RW701A-04 + RB808)** And processor unit **(MRM-110)** and operation unit **(MRO-110)** Connectable to display with XGA or UXGA (owner supplied). With 15m cable. Built-in TT(ARPA) tracking with 50 targets, and AIS interface with 500 targets without connecting cable (as standard), gyro-log interface unit optional. 21.6-41.6 VDC	9 369 €
		6-ft Open scanner-transceiver unit **(RW701A-06 + RB808)**	9 567 €
	MDC-5025BB	**25kW, 96mn, 24/48rpm, BB** **4-ft** Open antenna-scanner unit **(RW701A-04 + RB809)** And processor unit **(MRM-110)** and operation unit **(MRO-110)** Connectable to display with XGA or UXGA (owner supplied). With 15m cable. Built-in TT(ARPA) tracking with 50 targets, and AIS interface with 500 targets without connecting cable (as standard), gyro-log interface unit optional. 21.6-41.6 VDC	10 268 €
		6-ft Open scanner-transceiver unit **(RW701A-06 + RB809)**	10 466 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt




RADAR	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		MDC-7900 SERIES	
	MDC-7906	**6kW, 64mn, 24rpm, 19"high-resolution color LCD(MRD-108)** **4-ft** Open antenna-scanner (**RW701A-04+RB807)** And operation unit **(MRO-108)** With 15m cable, built-in ATA with 100 targets and AIS with 1000 targ. Performance monitor not included, gyro-log interface unit optional. 21.6-31.2 VDC	11 598 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB807)**	11 796 €
	MDC-7912	**12kW, 64mn, 24rpm, 19" high-resolution color LCD (MRD-108)** **4-ft** Open antenna-scanner (**RW701A-04+RB808)** And operation unit **(MRO-108)** With 15m cable, built-in ATA with 100 targets and AIS with 1000 targ. Performance monitor not included, gyro-log interface unit optional. 21.6-31.2 VDC	12 498 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB808)**	12 695 €
	MDC-7925	**25kW, 96mn, 24rpm, 19" high-resolution color LCD(MRD-108)** **4-ft** Open antenna-scanner (**RW701A-04+RB809)** And operation unit **(MRO-108)** With 15m cable, built-in ATA with 100 targets and AIS with 1000 targ. Performance monitor not included, gyro-log interface unit optional. 21.6-31.2 VDC	13 397 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB809)**	13 595 €
		MDC-7900 SERIES IMO	
	MDC-7912P	**12kW, 64mn, 24rpm, 19" high-resolution color LCD(MRD-108P)** **4-ft** Open antenna-scanner (**RW701A-04+RB808P)** And operation unit **(MRO-108)** With 15m cable, built-in ATA with 60 targets and AIS with 900 targ. Performance monitor not included, gyro-log interface unit optional. 21.6-31.2 VDC	14 691 €
		**6-ft** Open antenna-scanner unit **(RW701A-06 + RB808P)**	14 889 €
	MDC-7925P	**25kW, 96mn, 24rpm, 19" high-resolution color LCD(MRD-108P)** **4-ft** Open antenna-scanner (**RW701A-04+RB809P)** And operation unit **(MRO-108)** With 15m cable, built-in ATA with 60 targets and AIS with 900 targ. Performance monitor not included, gyro-log interface unit optional. 21.6-31.2 VDC	15 698 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB809P)**	15 896 €
		MDC-7000 SERIES BB	
	MDC-7006	**6kW, 64mn, 24rpm** Cnnectable to any size and type of displays with SXGA grade (owner supplied) processor unit (**MRM-108**) **4-ft** Open antenna-scanner (**RW701A-04+RB807)** And operation unit **(MRO-108)** Performance monitor not included, unit with 15 m cable, in ATA with 100 targets and AIS with 1000 targ, gyro-log interface unit optional. 21.6-31.2 VDC	9 441 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB807)**	9 638 €
	MDC-7012	**12kW, 64mn,24rpm** Cnnectable to any size and type of displays with SXGA grade (owner supplied) processor unit (**MRM-108**) **4-ft** Open antenna-scanner (**RW701A-04+RB808)** And operation unit **(MRO-108)** Performance monitor not included, unit with 15 m cable, in ATA with 100 targets, and AIS with 1000 targ, gyro-log interface unit optional. 21.6-31.2 VDC	10 340 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB808)**	10 538 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt



RADAR	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		MDC-7000 SERIES BB	
	MDC-7025	**25kW, 96mn,24rpm** Cnnectable to any size and type of displays with SXGA grade (owner supplied) processor unit (**MRM-108**) **4-ft** Open antenna-scanner (**RW701A-04+RB809)** And operation unit **(MRO-108)** Performance monitor not included, unit with 15 m cable, in ATA with 100 targets, and AIS with 1000 targ, gyro-log interface unit optional. 21.6-31.2 VDC	11 239 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB809)**	11 437 €
		MDC-7000 SERIES BB IMO	
	MDC-7012P	**12kW, 64mn,24rpm** Connectable to IMO approved 19" displays with SXGA grade (owner supplied) processor unit (**MRM-108P**) **4-ft** Open antenna-scanner (**RW701A-04+RB808P)** And operation unit **(MRO-108P)** Built-in performance monitor, Unit with 15 m cable, TT with 100 targets, and AIS with 900 targets, gyro-log interface unit optional, 21.6-31.2 VDC	12 174 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB808P)**	12 372 €
	MDC-7025P	**25kW, 96mn,24rpm** Connectable to IMO approved 19" displays with SXGA grade (owner supplied) processor unit (**MRM-109P**) **4-ft** Open antenna-scanner **(RW701A-04+RB809P)** And operation unit **(MRO-108P)** Built-in performance monitor, Unit with 15 m cable, TT with 100 targets, and AIS with 900 targets, gyro-log interface unit optional, 21.6-31.2 VDC	13 181 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB809P)**	13 379 €
		KRS-SERIES IMO Solid State Radar	
		**96**nm, **110**W(Peak), 12/24/36/48/60rpm, 16"/19"/22"/24" high-resolution touchscreen with trackball **6-ft** Open antenna **(RSA-1SP)** scanner unit **(RSB-111P)** with 25m cable, built-in TT(ARPA) tracking for 100 targets and built-in AIS interface with 4000 targets, Keyboard optional, 12-14 VDC	
	KRS-1611P	Complete set with 16" display	22 904 €
	KRS-1911P	Complete set with 19" display	25 364 €
	KRS-1211P	Complete set with 22" display	28 393 €
	KRS-1411P	Complete set with 24" display	30 096 €
		RADARpc	
	MDS-1104R	**4Kw, 48mn,** Control Box **(MDS-11R)** **3-ft** Open antenna-scanner unit **(RW701A-03 + RB806)** with 15m cable 21.6-41.6 VDC	4 896 €
		4-ft Open antenna-scanner unit **(RW701A-04 + RB806)**	5 022 €
	MDS-1106R	**6kW, 64mn,** Control Box **(MDS-11R)** **4ft** Open antenna-scanner unit **(RW701A-04 + RB807)** with 15m cable 21.6-41.6 VDC	6 460 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB807)**	6 658 €
	MDS-1112R	**12kW, 72mn,** Control Box **(MDS-11R)** **4-ft** Open antenna-scanner unit **(RW701A-04 + RB808)** with 15m cable 21.6-41.6 VDC	7 359 €
		6-ft Open antenna-scanner unit **(RW701A-06 + RB808)**	7 557 €
	MDS-1125R	**25kW, 96mn,** Control Box **(MDS-11R)** **6-ft** Open antenna-scanner unit **(RW701A-06 + RB809)** with 15m cable 21.6-41.6 VDC	6 869 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt




KODEN

SEATEC
Equipamentos de Comunicação e Navegação


RADAR	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		Opcionais	
	MRD-103A	8.4" TFT Color LCD for MDC-941A/940A	1 618 €
	MRD-104A	10.4" TFT color LCD for MDC-2041A/2040A	1 888 €
	MRD-111	12" High-R color LCD for MDC-5204/5206/5215/5225 in TT(ATA)	4 046 €
	MRD-109	15" High-Resolution color LCD for MDC-5506/5512/5525 without **MRO-108** built-in TT(ATA)	4 585 €
	MRD-108	19" High-Resolution color LCD for MDC-7906/7912/7925 without **MRO-108** built-in TT(ATA) and AIS	5 556 €
	MRD-108P	19" High-Resolution color LCD for MDC-7912P/7925P without **MRO-108** built-in TT(ATA) and AIS	6 474 €
		Processor Unit	
	MRM-112	For MDC-2003/2005/2004/2006/2012 Excl. RGB cable, built-in TT(ATA) and AIS, without **MRO-112**	1 421 €
	MRM-110	For MDC-5041/5004/5006/5012/2025 Excl. RGB cable, built-in TT(ATA) and AIS, without **MRO-108**	2 607 €
	MRM-108	For MDC-7006/7012/7025 Excl. RGB cable, built-in TT(ATA) and AIS, without **MRO-108**	3 399 €
	MRM-108P	For MDC-7012P/7025P Excl. RGB cable, built-in TT(ATA) and AIS, without **MRO-108**	3 956 €
		Radar PC Control Box	
	MDS-11R	For MDS-1105/1104/1106/1112/1125	1 174 €
		Operation Unit	
	MRO-112	For MDC-2003/2005/2004/2006/2012	468 €
	MRO-110	For MDC-5041/5004/5006/5012/5025	575 €
	MRO-108	For MDC-7006/7012/7025/7912/7925/5506/5512/5525	755 €
	MRO-108P	For MDC-MDC-7012P/7025P/7912P/7925P	755 €
		Scanner unit	
	RB804	4 kW 1,2-ft Radome	1 888 €
	RB805	4 kW 2-ft Radome	1 888 €
	RB806	4 kW Open	2 697 €
	RB807	6 kW Open	4 118 €
	RB808	12 kW Open	5 017 €
	RB809	25 kW Open	5 915 €
	RB808P	12 kW Open with performance monitor for MDC-7912P / 7012P	6 294 €
	RB809P	25 kW Open with performance monitor for MDC-7925P / 7025P	7 301 €
		Antenna unit	
	RW701A-03	3-ft	701 €
	RW701A-04	4-ft	827 €
	RW701A-06	6-ft	1 025 €
	RW701C-09	9-ft	2 607 €
		Cable for scanner unit RB804/RB805	
	242J158055A	Interconnecting cable, 10m	252 €
	242J158055B	Interconnecting cable, 15m	324 €
	242J158055C	Interconnecting cable, 20m	414 €
	242J158055D	Interconnecting cable, 30m	539 €
		Cable for scanner units RB806	
	242J159098A	Interconnecting cable, 10m	252 €
	242J159098B	Interconnecting cable, 15m	324 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt




RADAR	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		Opcionais	
	242J159098C	Interconnecting cable, 20m	414 €
	242J159098D	Interconnecting cable, 30m	539 €
	242J159098E	Interconnecting cable, 50m	791 €
		Cable for scanner units RB807 / 808 / 809 / 808P / 809P	
	CW-845-15M	Interconnecting cable, 15m	342 €
	CW-845-20M	Interconnecting cable, 20m	414 €
	CW-845-30M	Interconnecting cable, 30m	575 €
	CW-845-50M	Interconnecting cable, 50m	899 €
		Monitor for BB-units	
	EFS-1703X	17" Monitor, Koden LCD-Monitor	1 367 €
	EFS-1903X	19" Monitor, Koden LCD-Monitor	1 367 €
	FDS-1904-BK	19" Monitor, Duravision (EIZO), MDC-5000BB / 7000BB 7000P series	1 931 €
	FDU-2603-BK	26" Monitor, Duravision (EIZO), MDC-7000P series	5 224 €
	JB-35	Junction Box, Connecting Cable CW-376-5m is included	306 €
	MRE-340	ATA board (Auto) For MDC-900A/2000A Connecting cable not included CW-376-5M	324 €
	AIS-110	AIS interface for MDC-900A Connecting cable not included CW-376-5M	162 €
	AIS-110	for MDC-2000A/2000BB Connecting cable not included CW-387-5M	162 €
	CW-373-5M	Connection Cable 5m for MDC-900A/5200/5500/7900P/7000P/7900/7000 5m with 6-pin water resistant connectors at both ends	101 €
	CW-376-5M	for MDC-900A/2000A/5200/5500/7900P/7000P/7900/7000 10m with 6-pin water resistant connectors at both ends	65 €
	CW-387-5M	for MDC-2000A/5200/5500/7900P/7000P/7900/7000 5m with a 8-pin water resistant connector and one end plain	176 €
	CW-576-0.5M	For MDC-900A/5200/5500/7900P/7000P/7900/7000 0.5m with a 12-pin water resistant connector and D-Sub conet.	172 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt





KODEN

SEATEC Equipamentos de Comunicação e Navegação


SONDAS	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		Sondas	
	CVS-126	**Digital, 600W, 5.7" TFT Color LCD, Max 800m** Dual frequency 50/200 kHz 10.8-31.2 VDC	786 €
	CVS-128	**Digital, 600W/1kW, 8,4" TFT Color LCD, Max 1200m** Dual frequency 50/200 kHz 10.8-31.2 VDC	1 654 €
	CVS-128B	**Digital Broadband, 1kW, 8,4" TFT Color LCD, Max 1200m** TDM-071: 38 to 75 kHz TDM-091D: 42 to 65 kHz, 130 to 210 kHz 10.8-31.2 VDC	1 870 €
	CVS-1410	**Digital, 1kW, 10.4" TFT color LCD, Max 2000m** Dual frequency 50/200 kHz 10.8-31.2 VDC	1 870 €
	CVS-1410HS	**Digital HS, 1kW, 10.4" TFT color LCD, Max 2000m** Including Transducer, TDM-031D dual frequency 50/200 kHz 10.8-31.2 VDC	4 046 €
	CVS-1410B	**Digital Broadband, 2kW, 10.4" TFT color LCD, Max 2000m** TDM-071: 38 to 75 kHz TDM-091D: 42 to 65 kHz and 130 to 210 kHz (W & M 333(H) x 364(W) x 175(D) mm, 7.5 kg, 10.8 to 31.2 VDC	2 086 €
	CVS-702D	**Digital, 1/3/5kW, 12.1" TFT Color LCD** Dual Frequency 3kW : 28/40/5/75/ 200kHz (200kHz is 1kW only) 5kW : 28/50/75/200kHz (200kHz is 1kW only)	3 686 €
	CVS-705D	**Digital, 1/3/5kW, 15" TFT Color LCD** Dual Frequency 3kW : 28/40/5/75/ 200kHz (200kHz is 1kW only) 5kW : 28/50/75/200kHz (200kHz is 1kW only)	4 298 €
	CVS-707D	**Digital, 1/3/5kW, 15" Black Box** Dual Frequency 3kW : 28/40/5/75/ 200kHz (200kHz is 1kW only) 5kW : 28/50/75/200kHz (200kHz is 1kW only)	3 147 €
	CVS-FX1 Limited Stock	**Digital Broadband, 3kW, 12.1" TFT Color LCD, Max 3000m** Simultaneous Four-Frequency Display: TDM-052:38-75kHz & 130-210kHz TDM-062: 38-75kHz & 85-135kHz 10.8-31.2 VDC	2 839 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt




SONDAS	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		Sondas	
	CVS-872D	**Digital Broadband, 3kW, 12.1" TFT Color LCD, Max 3000m** Simultaneous Four-Frequency Display: TDM-052:38-75kHz & 130-210kHz TDM-062: 38-75kHz & 85-135kHz 10.8-31.2 VDC	3 965 €
	CVS-875D	**Digital Broadband, 3kW, 15" TFT Color LCD, Max 3000m** Display Unit: ESD-200, Operation Unit: ESO-200 Simultaneous Four-Frequency Display: TDM-052:38-75kHz & 130-210kHz TDM-062: 38-75kHz & 85-135kHz 10.8-31.2 VDC	4 720 €
	CVS-877D	**Digital Broadband, 3kW, 15" TFT Color LCD, Max 3000m** Procesor Unit: ESM-200, Operation Unit: ESO-200 Simultaneous Four-Frequency Display: TDM-052:38-75kHz & 130-210kHz TDM-062: 38-75kHz & 85-135kHz 10.8-31.2 VDC	3 498 €
		Opcionais	
		600W output: CVS-126/CVS-128	
	TD-500T-2	50/200 kHz (inner hull) 9m	249 €
	TD-500T-3	50/200 kHz (B, thru-hull) 9m	299 €
		1kW output: CVS-128/1410	
	TD-501C	50/200 kHz (R, inner hull) 9m	608 €
	TD-501T-4B	50/200 kHz (B-Temp, thru-hull) 9m	568 €
		1kW output: CVS-1410HS	
	TDM-031D	50/200 kHz	3 123 €
		1kW output Broadband: CVS-872D/875D/877D/1420 (withou bottom plate)	
	TD340-K	38 to 70 kHz and 130 to 220 kHz	1 325 €
		1kW output: CVS-1410/702D/705D/707D (withou bottom plate)	
	TD-282	28KHz (R, thru-hull)	1 546 €
	TD-501B	50KHz (R, thru-hull)	629 €
	TD-751	75KHz (R, thru-hull)	953 €
	TD-2001D	200KHz (R, thru-hull)	629 €
		2kW output Broadband: CVS-128B/1410B (without bottom plate)	
	TDM-071	38 to 75 KHz	3 776 €
	TDM-091D	42 to 65KHz and 130 to 210KHz	4 046 €
		2kW output: CVS-1420 (without bottom plate)	
	NGM100-200-12	200kHz	1 136 €
	150kHz 120ϕx1	150kHz	1 193 €
		2kW output Broadband: CVS-872D/875D/877D/1420 (without bottom plate, 130-220kHz is 1kw only)	
	TD361-K	38 to 70kHz and 130 to 220kHz	2 139 €
		3kW output Broadband: CVS-FX1/FX2/FX2BB/872D/875D/877D (without bottom plate)	
	TDM-052A	38 to 75 kHz and 130 to 210kHz	6 204 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt



SONDAS	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		Opcionais	
	TDM-062	38 to 75 kHz and 85 to 135 kHz	7 013 €
	TDM-091	42 to 65KHz and 130 to 210KHz (1kW only)	3 722 €
		3kW output Broadband: CVS-872D/875D/877D/1420 (without bottom plate)	
	TD380-K	3 kW 38 to 70 kHz and 1 kW 130 to 220 kHz	2 555 €
		4kW output: CVS-1420/702D/705D/707D (without bottom plate, 200kHz is 1kW only)	
	TD-87	4KW 28KHz (R, thru-hull)	2 839 €
	TD-504T	4KW 50KHz (R, thru-hull)	2 032 €
	TD-754	4KW 75KHz (R, thru-hull)	3 111 €
	TD-66	2KW 200KHz (R, thru-hull)	1 025 €
		5kW output: CVS-702D/705D/707D (without bottom plate, 200kHz is 1kW only)	
	TD-97	5KW 28KHz (R, thru-hull)	TBA
	TD-506F	5KW 50KHz (R, thru-hull)	3 111 €
	TD-756	5KW 75KHz (R, thru-hull)	3 776 €
	TD-66	5KW 200KHz (R, thru-hull)	1 025 €
		Anti-Resonance KIT for Broadband transducer	
	TD-KIT_TDM-091	(C040MH10210) for TDM-071, TDM-091D	809 €
	TD-KIT_TDM-052	(C040MH10200) for TDM-052A, TDM-062A	1 079 €
		Cable glands	
	CG-1	Single frequency 13 mm(ϕ) x 100 mm(L)	252 €
	CG-2	Dual frequency 13 mm(ϕ) x 100 mm(L)	216 €
	CG-16	Single frequency 34 mm(ϕ) x 100 mm(L)	360 €
	CG-18	Dual frequency 49 mm(ϕ) x 100 mm(L)	252 €
	CG-19	Single frequency 33 mm(ϕ) x 167 mm(L)	270 €
	CG-22	For TDM-071, TDM-091D	539 €
		Junction box	
	JB-34	For single freq. transducer, dual freq. transducer, speed/temp	162 €
	JB-38	For dual frequency (broadand or fixed), transducer	324 €
		Connection cables	
	CW-373-5M	for CVS-1410/1410HS/1410B/FX1/FX2/FX2BB 5 m with 6-pin water resistant connectors at both ends	101 €
	CW-376-5M	for CVS-126/128/128B/1410/1410HS/1410B/FX1/FX2/FX2BB 5 m with a 6-pin water resistant connector and one end plain	65 €
	CW-576-0.5M	for CVS-128/128B/1410/1410HS/1410B/FX1/FX2/FX2BB (Relay cable for monitor) 0.5m with a 10-pin water resistant and 15-pin Dsub	189 €
	CW-840-0.3M	for CVS-126/128 0.3 m with a 8-pin water resistant connector and one end plain	68 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt




KODEN

SEATEC Equipamentos de Comunicação e Navegação


SONAR	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		Sonares	
	ESR-145	**800W, 10.4" LCD, frequency 220kHz, Max 300m** Consisting of operation unit, transducer with hoist lower unit, without tank unit 21 to 30 VDC for operation unit	6 204 €
	KDS-5000BB	**1.5kW, Black box, Frequency 180kHz, Max 700m** Consisting of Processor Unit, Operation unit, Hull Unit (incl. transducer with 7.7m cable) Junction box 20 to 30 VDC for operation unit, Pipe (1981mm) frequency 180 kHz Power supply 10.8 to 31.2 VDC	11 149 €
	KDS-5500BB	**1.5kW, Black box, Frequency 80kHz, 140kHz ou 180kHz Max 1000m** Consisting of Processor unit, Operation unit, Hull unit (incl. Transducer with 10m Cable) and Pipe (1981mm) Power supply 10.8 to 31.2 VDC	11 598 €
		Digital Broafband	
	KDS-6000BB	**1.5kW, Black box, Frequency 130 a 210kHz, Max 1000m** consisting of Processor unit, Operation unit, Hull unit (incl. Transducer with 10m Cable) and Pipe (1981mm) Power supply 10.8 to 31.2 VDC	11 688 €
		Opcionais	
		Transducer	
	ESR1453/220kHz	With 10m cable for ESR-145	2 158 €
	DHU6302/80kHz	With 10m cable for KDS-5500BB	4 496 €
	DHU6302/140kHz	With 10m cable for KDS-5500BB	4 496 €
	DHU6302/180kHz AS	With 10m cable for KDS-5500BB	4 496 €
	DHU-6302-BRD.B 130 to 210kHz	With 10m cable for KDS-6000BB	4 496 €
		Audio Kit	
	OP-604	(220kHz) for ESR-145	405 €
		Hull Unit	
	DHU-6301	1.411cm	7 660 €
	DHU-631	1.281cm	7 660 €
		Monitor for BB-units	
	EFS-1703X	17" Monitor, Koden LCD-Monitor	1 367 €
	EFS-1903X	19" Monitor, Koden LCD-Monitor	1 367 €
		Remote controller	
	RCW-14	With 5m cable for KDS-6000BB/KDS-8000BB	270 €
	ESR-1809	With 4m cable for KDS-5000BB	284 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt




SONAR	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		Opcionais	
		Joint Pipe	
	ESR-1504	ESR-1504, 1411mm	648 €
	ESR-160	ESR-160 32679C-2, 1681 mm	755 €
	ESR-160	ESR-160 32679C-3, 1981 mm	881 €
	ESR-160	ESR-160 (40 Φ-4f- 3000 mm	3 147 €
		Junction Box	
	JB-35	Junction Box, Connecting Cable CW-376-5m is included	306 €
		Connection cable	
	W-373-5M	For KDS-6000BB 5m with 5-pin a connector and one end plain	101 €
	CW-376-5M	for ESR-145 / KDS-6000BB 5 m with a 6-pin water resistant connector and one end plain	65 €
	CW-560-2M	for KDS-6000BB (Cable for monitor) 2m with a 15-pin Dsub at both ends	95 €
	CW-576-0.5M	for KDS-6000BB (Relay cable for monitor) 0.5m with a 10-pin water resistant and 15-pin Dsub.	189 €
		GPS Compass/Navigator/GPS Sensor	
	KGC-300	**IMO GPS Compass (THD) and Navigator** 16-ch parallel reception with 15 m antenna cable with 4.3" high resolution Color LCD display unit, connecting cable CW-376-5M SBAS (WAAS and EGNOS) ready 10.8-31.2 VDC	3 292 €
	KC-1400	**GNSS Compass (THD) and GNSS Navigator** 72-ch parallel reception with 15 m antenna cable with 4.3" high resolution Color LCD display unit, connecting cable CW-430-5M SBAS (WAAS, EGNOS, MSAS, GAGAN and SDCM) ready 10.8-31.2 VDC	2 461 €
	KC-2000	**GNSS Compass** 72-ch parallel reception with 15 m antenna cable without LCD display unit SBAS (WAAS/EGNOS/MSAS) ready 10.8-31.2 VDC	1 514 €
	KGP-915	**GPS / GLONASS Navigator** 72-ch parallel reception, SBAS ready with 4.3" TFT color LCD display 9,000 waypoints and 1,000 event memories, 3-D graphic with antenna (GA-09) with 10 m cable 10.8-31.2 VDC	549 €
	KGC-922	**IMO GPS Navigator** 72-ch parallel reception, SBAS ready with 4.3" TFT color LCD display 4,000 waypoints and 1,000 event memories, 3-D graphic with antenna (GA-09) with 15 m cable 10.8-31.2 VDC	909 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt




GPS	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		GPS Compass/Navigator/GPS Sensor	
	GPS-21	**GPS sensor** 24-channel parallel reception with 10m cable, SBAS/QZSS ready	246 €
	KRD-10	**Remote Display with 4.3" TFT color LCD** Presentation Modes: Navigation, Steering, Highway, Plotter, Compass, Turnaroud, Wind direction, Water temp, Rudder angle, Distanceinfo, General, Tide current, Weather info,	549 €
		Opcionais	
		GPS antenna	
	GA-09-0.5M	With 0.5 m cable with connector	162 €
	GA-09-10M	With 10 m cable with connector	126 €
	GA-09-15M	With 15 m cable with connector	135 €
		Junction boxes	
	JB-10	(1-in / 3-out)	378 €
	JB-12	(1-in / 3-out)	414 €
	JB-35	(1-in / 3-out)	306 €
		Connection cables	
	CW-826-0.5m	for KGP-922 N/BNC converter connector cable	94 €
	CW-373-5M	for KGC-222 5m with 6-pin water resistant connectors both ends	101 €
	CW-376-5M	for KGC-222 5m with 6-pin water resistant connector end plain	65 €
		CLASS A/B AIS TRANSCEIVER - CHART PLOTTER	
	KAT-330	AIS class A, SOLAS & Inland waterway certified	2 650 €
		Junction boxes	
	JB-40	with 14 way extension cable, 18 way extension cable and self tapping screws	587 €
	GTD-120	**Chart Plotter, 10.4" high brightness LCD** Bird view function. AIS Display (AIS-110 with connecting cable CW-387-5M included) SD card capable, save user data 10.8-31.2 VDC	2 631 €
	KAB-1500	**Class B AIS Transceiver, Chart Plotter** 5 inch color LCD AIS Radar, Sailing data 10.8-31.2 VDC	606 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt



GPS	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		MULTI-FUNCTION DISPLAY - AIS	
	KSD-1100	**Chart Plotter, 10.1" Capacitive multi touch screen** -AIS Class B -Various screen displays -Chart display -AIS Radar -10.8 VDC to 31.2 VDC	1 344 €
	KSD-1210	**Chart Plotter, 21.5" Capacitive multi touch screen** -AIS Class B -Various screen displays -Chart display -AIS Radar -10.8 VDC to 31.2 VDC	2 461 €
	HM-2812	Marine Smart Instrumentation Display (SID)	TBA
	KPB-10	**AIS EPIRB Kat 1** The new KPB-10 includes an AIS locating signal and an Infra-Red (Night-Vision) optical signal to aid detection of survivors in low light conditions.	799 €
	KRT-10	**AIS SART** Survival craft AIS Search and Rescue Transmitter Meets IMO SOLAS requirements and replacement for lagacy radar SARTs.	636 €
	SIRIUS-12	**Binoculars** - Fully Waterproof IPX7, 12x magnification with stabilization Build-in Gyro Sensor IPX7 Waterproof Performance	681 €

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt



GPS BUOY SYSTEM	REFª	DESIGNAÇÃO	PVP S/IVA EUR
		Boias GPS / Recetores / Acessórios	
	PP-XST	Boia PickPoint XST com baterias	200 €
	PP-XSR	Recetor PickPoint XSR	223 €
	PP-XSC	Carregador XSC	167 €
	PP-ANT	Antena UHF de 1,80 metros	156 €
	PP-GALLO	Suporte Gallo	17 €


Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt

SEATEC Equipamentos de Comunicação e Navegação

KODEN

RADAR CROSS REFERENCE - 1


Model	ft.	☆ Antenna unit	★ Scanner unit	Antenna - scanner unit	Cable (m)	n.m.	kW	rpm	TFT color LCD display unit			Processor unit	Operation unit	Optional devices & Materials			
														ATA Board	AIS Int. Board	Gyro Int. Board	Log Int. Board
MDC-904A	1.2			RB804	242J158055B-10M (10m)	32	4	24/48	MRD-103A	8.4"	480 x 640 (VGA)			(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
MDC-941A	2			RB805	242J158055B-15M (15m)	32	4	24/48	MRD-103A	8.4"	480 x 640 (VGA)			(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
MDC-940A	3	RW701A-03	RB806	☆+★	242J159098B-15M (15m)	48	4	24/48	MRD-103A	8.4"	480 x 640 (VGA)			(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
	4	RW701A-04		☆+★													
MDC-2004A	1.2			RB804	242J158055B-10M (10m)	32	4	24/48	MRD-104A	10.4"	480 x 640 (VGA)			(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
MDC-2041A	2			RB805	242J158055B-15M (15m)	32	4	24/48	MRD-104A	10.4"	480 x 640 (VGA)			(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
MDC-2040A	3	RW701A-03	RB806	☆+★	242J159098B-15M (15m)	48	4	24/48	MRD-104A	10.4"	480 x 640 (VGA)			(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
	4	RW701A-04		☆+★													
MDC-2006A	3	RW-701A-03	RB807	☆+★	CW-845-15M (15m)	64	6	24/48	MRD-104A	10.4"	480 x 640 (VGA)			(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
	4	RW701A-04		☆+★													
	6	RW701A-06		☆+★													
MDC-2012A	4	RW701A-04	RB808	☆+★	CW-845-15M (15m)	72	12	24/42	MRD-104A	10.4"	480 x 640 (VGA)			(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
	6	RW701A-06		☆+★													
MDC-2003BB	1.2			RB804	242J158055B-10M (10m)	32	4	24/48	(Owner supplied)		640x480 (VGA)	MRM-112	MRO-112	(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
MDC-2005BB	2			RB805	242J158055B-15M (15m)	32	4	24/48	(Owner supplied)		640x480 (VGA)	MRM-112	MRO-112	(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
MDC-2004BB	3	RW701A-03	RB806	☆+★	242J159098B-15M (15m)	48	4	24/48	(Owner supplied)		640x480 (VGA)	MRM-112	MRO-112	(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
	4	RW701A-04		☆+★													
MDC-2006BB	3	RW-701A-03	RB807	☆+★	CW-845-15M (15m)	64	6	24/48	(Owner supplied)		640x480 (VGA)	MRM-112	MRO-112	(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
	4	RW701A-04		☆+★													
	6	RW701A-06		☆+★													
MDC-2012BB	4	RW701A-04	RB808	☆+★	CW-845-15M (15m)	72	12	24/42	(Owner supplied)		640x480 (VGA)	MRM-112	MRO-112	(MRE-340)	(AIS-110)	ADPC-101	ADPC-101
	6	RW701A-06		☆+★													



Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt

RADAR CROSS REFERENCE - 2

Model	ft.	☆ Antenna unit	★ Scanner unit	Antenna - scanner unit	Cable (m)	n.m.	kW	rpm	TFT color LCD display unit			Processor unit	Operation unit	Optional devices & Materials			
														ATA Board	AIS Int. Board	Gyro Int. Board	Log Int. Board
MDC-5204	3	RW-701A-03	RB806	☆+★	242J159098B-15M (15m)	48	4	24/48	MRD-111	12.1"	768 x 1024 (XGA)			Built-in	Built-in	ADPC-101	ADPC-101
	4	RW701A-04		☆+★													
	6	RW701A-06		☆+★													
MDC-5206	4	RW701A-04	RB807	☆+★	CW-845-15M (15m)	64	6	24/48	MRD-111	12.1"	768 x 1024 (XGA)			Built-in	Built-in	ADPC-101	ADPC-101
	6	RW701A-06		☆+★													
MDC-5212	4	RW701A-04	RB808	☆+★	CW-845-15M (15m)	64	12	24/42	MRD-111	12.1"	768 x 1024 (XGA)			Built-in	Built-in	ADPC-101	ADPC-101
	6	RW701A-06		☆+★													
MDC-5225	4	RW701A-04	RB809	☆+★	CW-845-15M (15m)	96	25	24/42	MRD-111	12.1"	768 x 1024 (XGA)			Built-in	Built-in	ADPC-101	ADPC-101
	6	RW701B-06		☆+★													
MDC-5504	6	RW701A-06	RB806	☆+★	242J159098B-15M (15m)	64	4	24/48	MRD-109	15"	768 x 1024 (XGA)		MRO-108	Built-in	Built-in	ADPC-101	ADPC-101
	4	RW701A-04		☆+★													
	6	RW701A-06		☆+★													
MDC-5506	4	RW701A-04	RB807	☆+★	CW-845-15M (15m)	64	6	24/48	MRD-109	15"	768 x 1024 (XGA)		MRO-108	Built-in	Built-in	ADPC-101	ADPC-101
	6	RW701A-06		☆+★													
MDC-5512	4	RW701A-04	RB808	☆+★	CW-845-15M (15m)	64	6	24/42	MRD-109	15"	768 x 1024 (XGA)		MRO-108	Built-in	Built-in	ADPC-101	ADPC-101
	6	RW701A-06		☆+★													
MDC-5525	4	RW701A-04	RB809	☆+★	CW-845-15M (15m)	64	6	24/42	MRD-109	15"	768 x 1024 (XGA)		MRO-108	Built-in	Built-in	ADPC-101	ADPC-101
	6	RW701A-06		☆+★													
MDC-5041	2			RB805	242J158055B-15M (15m)	32	4	24/48			(XGA or UXGA)	MRM-110	MRO-110	Built-in	Built-in	ADPC-101	ADPC-101
MDC-5004	3	RW-701A-03	RB806	☆+★	242J159098B-15M (15m)	48	4	24/48	(Owner supplied)		(XGA or UXGA)	MRM-110	MRO-110	Built-in	Built-in	ADPC-101	ADPC-101
	4	RW701A-04		☆+★													
	6	RW701A-06		☆+★													
MDC-5006	4	RW701A-04	RB807	☆+★	CW-845-15M (15m)	64	6	24/48	(Owner supplied)		(XGA or UXGA)	MRM-110	MRO-110	Built-in	Built-in	ADPC-101	ADPC-101
	6	RW701A-06		☆+★													
MDC-5012	4	RW701A-04	RB808	☆+★	CW-845-15M (15m)	64	12	24/42	(Owner supplied)		(XGA or UXGA)	MRM-110	MRO-110	Built-in	Built-in	ADPC-101	ADPC-101
	6	RW701A-06		☆+★													
MDC-5025	4	RW701A-04	RB808	☆+★	CW-845-15M (15m)	96	25	24/42	(Owner supplied)		(XGA or UXGA)	MRM-110	MRO-110	Built-in	Built-in	ADPC-101	ADPC-101
	6	RW701A-06		☆+★													



Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt


Preços e especificações sujeitos a alterações sem aviso prévio
KODEN-Tabela Preços_V.01.26

RADAR CROSS REFERENCE - 3

Model	ft.	☆ Antenna unit	★ Scanner unit	Antenna - scanner unit	Cable (m)	n.m.	kW	rpm	TFT LCD display unit			Processor unit	Operation unit	Optional devices & Materials			
														ATA Board	AIS Int. Board	Gyro Int. Board	Log Int. Board
MDC-7906	4	RW701A-04	RB807	☆+★	CW-845-15M (15m)	64	6	24/48	MRD-108	19"	1280 x 1024 (SXGA)		MRO-108	Built-in	Built-in	ADPC-101	ADPC-1
	6	RW701A-06		☆+★													
MDC-7912	4	RW701A-04	RB808	☆+★	CW-845-15M (15m)	64	12	24/42	MRD-108	19"	1280 x 1024 (SXGA)		MRO-108	Built-in	Built-in	ADPC-101	ADPC-1
	6	RW701A-06		☆+★													
MDC-7925	4	RW701A-04	RB809	☆+★	CW-845-15M (15m)	96	25	24/42	MRD-108	19"	1280 x 1024 (SXGA)		MRO-108	Built-in	Built-in	ADPC-101	ADPC-1
	6	RW701A-06		☆+★													
MDC-7912P	4	RW701A-04	RB808P	☆+★	CW-845-15M (15m)	64	12	24	MRD-108P	19"	1280 x 1024 (SXGA)		MRO-108P	Built-in	Built-in	S2N U/N 9028C	L1N U/N 9181A
	6	RW701A-06		☆+★													
MDC-7925P	4	RW701A-04	RB809P	☆+★	CW-845-15M (15m)	96	25	24	MRD-108P	19"	1280 x 1024 (SXGA)		MRO-108P	Built-in	Built-in	S2N U/N 9028C	L1N U/N 9181A
	6	RW701A-06		☆+★													
MDC-7006	4	RW701A-04	RB807	☆+★	CW-845-15M (15m)	64	6	24/48	(Owner supplied)		1280 x 1024 (SXGA)	MRM-108	MRO-108	Built-in	Built-in	ADPC-101	ADPC-1
	6	RW701A-06		☆+★													
MDC-7012	4	RW701A-04	RB808	☆+★	CW-845-15M (15m)	64	12	24/42	(Owner supplied)		1280 x 1024 (SXGA)	MRM-108	MRO-108	Built-in	Built-in	ADPC-101	ADPC-1
	6	RW701A-06		☆+★													
MDC-7025	4	RW701A-04	RB809	☆+★	CW-845-15M (15m)	96	25	24/42	(Owner supplied)		1280 x 1024 (SXGA)	MRM-108	MRO-108	Built-in	Built-in	ADPC-101	ADPC-1
	6	RW701A-06		☆+★													
MDC-7012P	4	RW701A-04	RB808P	☆+★	CW-845-15M (15m)	64	12	24	(Owner supplied) Refer to MDC-7000P series			MRM-108P	MRO-108P	Built-in	Built-in	S2N U/N 9028C	L1N U/N 9181A
	6	RW701A-06		☆+★													
MDC-7025P	4	RW701A-04	RB809P	☆+★	CW-845-15M (15m)	96	25	24	(Owner supplied) Refer to MDC-7000P series			MRM-108P	MRO-108P	Built-in	Built-in	S2N U/N 9028C	L1N U/N 9181A
	6	RW701A-06		☆+★													

P = With Performance Monitor


= Wheel marked product (IMO)



Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt

RADAR CROSS REFERENCE - 3 (RADAR*pc*)

Model	ft.	☆ Antenna unit	★ Scanner unit	Antenna - scanner unit	Cable (m)	n.m.	kW	rpm	Display unit	Control box
MDS-1103R	1,2			RB804	242J160680A-10M (10m)	24	2	24	PC (Owner Supplied)	MDS-11R
MDS-1105R	2			RB805	242J158055A-15M (15m)	36	4	24/48	PC (Owner Supplied)	MDS-11R
MDS-1104R	3	RW701A-03	RB806	☆+★	242J159098A-15M (15m)	48	4	24/48	PC (Owner Supplied)	MDS-11R
	4	RW701A-04		☆+★						
MDS-1106R	4	RW701A-04	RB807	☆+★	CW-845-15M (15M)	64	6	24/48	PC (Owner Supplied)	MDS-11R
	6	RW701A-06		☆+★						
MDS-1112R	4	RW701A-04	RB808	☆+★	CW-845-15M (15M)	72	12	24/42	PC (Owner Supplied)	MDS-11R
	6	RW701A-06		☆+★						
MDS-1125R	4	RW701A-04	RB809	☆+★	CW-845-15M (15M)	96	25	24/48	PC (Owner Supplied)	MDS-11R
	6	RW701A-06		☆+★						




Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt

SEATEC Equipamentos de Comunicação e Navegação

KODEN

TRANSDUCER CROSS REFERENCE - 1

600 W DUAL FREQUENCY									
Output (kHz)	50/200	50/200							
TD type	TD-500T-2B	TD-500T-3B							
Cable length (m)	9 m	9 m							
CVS-126	O	O							
CVS-128	O	O							
1 kW DUAL FREQUENCY									
Output (kHz)	50/200								
TD type	TD-501T-3B	TD-501C	TDM-031D						
Cable length (m)	9 m	9 m	10/10 m						
CVS-128	O	O							
CVS-1410		O							
CVS-1410HS			O						
3/5 kW SINGLE 2 FREQUENCY, SIMULTANEOUS									
Output (kHz)	28	50	75	200					
TD type	TD-284/TD-286	TD504T/TD-506F	TD-754/TD-756	TD-66					
	3 kw only	3kw / 5kw	3kw / 5kw	1 kw only					
CVS-702D	O	O	O	O					
CVS-705D	O	O	O	O					
CVS-707D	O	O	O	O					



Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt

KODEN

SEATEC
Equipamentos de Comunicação e Navegação

TRANSDUCER CROSS REFERENCE - 2 (Broadband)

Model	Display size	Output	Transducer	Broadband Frequency
CVS-128B	8.4 inch	2 kW	TDM-071	-
			TDM-091D	130 - 210 kHz
				38 - 75 kHz
				42 - 65 kHz
CVS-1410B	10.4 inch	2 kW	TDM-071	-
			TDM-091D	130 - 210 kHz
				38 - 75 kHz
				42 - 65 kHz
CVS-FX1	12.1 inch	3 kW	TDM-052	130 - 210 kHz
			TDM-062	85 - 135 kHz
				38 - 75 kHz
				38 - 75 kHz
CVS-FX2	15 inch	3 kW	TDM-052	130 - 210 kHz
			TDM-062	85 - 135 kHz
				38 - 75 kHz
				38 - 75 kHz
CVS-FX2BB	Blackbox	3 kW	TDM-052	130 - 210 kHz
			TDM-062	85 - 135 kHz
				38 - 75 kHz
				38 - 75 kHz
CVS-872D	12.1 inch	3 kW	TDM-052	130 - 210 kHz
			TDM-062	85 - 135 kHz
				38 - 75 kHz
				38 - 75 kHz
CVS-875D	15 inch	3 kW	TDM-052	130 - 210 kHz
			TDM-062	85 - 135 kHz
				38 - 75 kHz
				38 - 75 kHz
CVS-877D	Blackbox	3 kW	TDM-052	130 - 210 kHz
			TDM-062	85 - 135 kHz
				38 - 75 kHz
				38 - 75 kHz

Passeio da Rua de Itália, Nº 25-Loja D
Urbanização Quinta de São Gonçalo
2775-418 Carcavelos Tel: 214457210 Fax: 214457219
www.seatec.pt - comercial@seatec.pt